



Certificate of Analysis

Productname: Fitalite

Inspection No: M07305/0925/536
Batchnumber: 25F30-T05-122650
Expiration date: 31.08.2028
Analysed according to: FSCE-SPEC-0375

Customer: FAGRON a.s.
Sample Unit: 1 x 500 g
Batch Size: 770 x 500 g

	Requirement	Result	Unit	Standard remark
CHARACTERS				
Appearance	Almost white to light yellow, opaque, semi-viscous cream.	Conform		
Fitalite color scale	A, B, C, D, E, F, G, H	B		
Odour	Characteristic odour.	Conform		
IDENTIFICATION				
Identification A	Conform	Conform		Benzoic acid, HPLC
Identification B	Conform	Conform		Sorbic acid, HPLC
TESTS				
pH	3,5 - 5,5	4,9		
Yield value	75 - 200	143	Pa	25+ - 2 °C
Microbiology	Conform	Conform		
TAMC	$\leq 1 \times 10^2$	<10	CFU/g	
TYMC	$\leq 1 \times 10^1$	<10	CFU/g	
Pseudomonas aeruginosa	negative/1g	Conform		
Staphylococcus aureus	negative/1g	Conform		
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform		
Residual solvents	ICH Q3C	Conform		
Elemental impurities	ICH Q3D	Conform		
ASSAY				
Benzoic acid	0,13 - 0,26	0,21	%	HPLC
Sorbic acid	0,07 - 0,14	0,10	%	HPLC

Performed by: QC Fagron a.s. (CZ)

Responsible: Mgr. Kateřina Špičková, QC
 Mgr. Barbora Agatha Halouzková, QA/ QP

Date: 10.09.2025

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.

Name	Fagron a.s. (CZ) Kontrolní laboratoř č. 536	Address	Holická 1098/31m, Olomouc	Phone No.	+420585222590
		Post Code	779 00	Fax No.	+420 585 226 521