



Certificate of Analysis

Productname: Seraqua™

Inspection No: M05170/0725/536
Batchnumber: 25E15-T01-121579
Expiration date: 31.05.2028
Analysed according to: FSCE-SPEC-0467

Customer: FAGRON a.s.
Sample Unit: 1 x 250 ml
Batch Size: 913 x 250 ml

	Requirement	Result	Unit	Standard remark
CHARACTERS				
Appearance	White to translucent, pourable serum, specific, not perfumed odour	Conform		
IDENTIFICATION				
Identification A	Conform	Conform		Alpha-tocopheryl acetate, HPLC
Identification B	Conform	Conform		Benzoic acid, HPLC
Identification C	Conform	Conform		Phenoxyethanol, HPLC
TESTS				
pH	3,5 - 5,5	4,2		
Density	0,980 - 1,020	1,005	g/ml	
Viscosity	8000 - 25000	12050	mPa.s	
Microbiology	Conform	Conform		
TAMC	$\leq 1 \times 10^2$	<10	CFU/g	
TYMC	$\leq 1 \times 10^1$	<10	CFU/g	
Pseudomonas aeruginosa	Absent/1g	Conform		
Staphylococcus aureus	Absent/1g	Conform		
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform		
Residual solvents	ICH Q3C	Conform		
Elemental impurities	ICH Q3D	Conform		
ASSAY				
Alpha-tocopheryl acetate	$\geq 5,00$	9,64	mg/g	
Phenoxyethanol	4,50 - 5,50	5,48	mg/g	
Benzoic acid	0,80 - 1,10	0,96	mg/g	

Performed by: QC Fagron a.s. (CZ)

Responsible: Mgr. Kateřina Špičková, QC
 MVDr. Zdenka Borská, QA/ QP

Date: 24.06.2025

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.

Name	Fagron a.s. (CZ) Kontrolní laboratoř č. 536	Address	Holická 1098/31m, Olomouc	Phone No.	+420585222590
		Post Code	779 00	Fax No.	+420 585 226 521