



Certificate of Analysis

Productname: SyrSvet™

Inspection No: M08840/1025/536
Batchnumber: 25H21-T02-123738
Expiration date: 31.10.2028
Analysed according to: Interne

Customer: FAGRON a.s.
Sample Unit: 0 x
Batch Size: 469 x 500 ml

Batch no. of vendor: 25H21-T02

	Requirement	Result	Unit	Standard remark
Appearance	Hazy, white, translucent syrup.	Conform		
Odour	Nearly odourless.	Conform		
Identification A	Conform	Conform		Modified Starch
Identification B	0,068 - 0,084	0,078	%(w/v)	Benzoic acid, HPLC
pH	4,0 - 4,4	4,1		
Density	1,00 - 1,04	1,02	g/ml	
Water solubility	Conform	Conform		
Viscosity	700 - 1600	1355	mPa.s	10 RPM
Viscosity	2000 - 5500	4900	mPa.s	1 RPM
TAMC	$\leq 2 \times 10^2$	< 10	CFU/g	
TYMC	$\leq 2 \times 10^1$	< 10	CFU/g	
Escherichia coli	Absence/1g	Conform		
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform		
Residual solvents	ICH Q3C	Conform		
Elemental impurities	ICH Q3D	Conform		
ASSAY				
Benzoic acid	0,068 - 0,084	0,078	%(w/v)	HPLC

Performed by: QC Fagron a.s. (CZ)

Responsible: Mgr. Kateřina Juřenová, PhD., QC
 Mgr. Barbora Agatha Halouzková, QA/ QP

Date: 14.11.2025

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.