

## Certificate of Analysis

**Product name:** Argentum colloidal  
**Batch number / Weight:** 24H19-B04-004846 / 5 g  
**Producer / Producer Batch Number:** Laboratorios Argenol S.L. / C24-0359  
**Analyzed according to:** Ph.Eur. 11.5  
**Number of Analysis / Certificate no.:** 24H19-B04 / QO0008888

|                               | Requirement                                                        | Result  | Unit  | Standard remark |
|-------------------------------|--------------------------------------------------------------------|---------|-------|-----------------|
| Appearance                    | green or bluish-black metallic shiny flakes or powder, hygroscopic | Conform |       |                 |
| Identification A              | Conform                                                            | Conform |       |                 |
| Identification B              | Conform                                                            | Conform |       |                 |
| Identification C              | Conform                                                            | Conform |       |                 |
| Alkalinity                    | >= 1,5 ml NaOH (0,1M)                                              | 2,80    | ml    |                 |
| Silver ions                   | Conform                                                            | Conform |       |                 |
| Sensitivity to electrolytes   | Conform                                                            | Conform |       |                 |
| Substances insoluble in water | <=1,0                                                              | 0,01    | %     |                 |
| Loss on drying                | <=8,0                                                              | 1,87    | %     |                 |
| Metallic residues             | CHMP/ICH/353369/2013                                               | Conform |       | DP              |
| Residual solvents             | CPMP/ICH/82 260/06                                                 | Conform |       | DP              |
| Assay                         | 70,0 - 80,0                                                        | 75,41   | % m/m |                 |
| TSE/BSE-statement:            | No contamination with TSE/BSE-risk materials                       | Conform |       | DP              |

All the manufacturing stages of this batch have been carried out in full compliance with the GMP requirements of the EU and with the national legal requirements.

Analysis performed by the authorized lab FSNE LAB

**Release:**

17-12-2024  
 Ewelina Gadzinowska  
 Qualified Person

**Expiration:** 24-5-2026

**Conclusion:** APPROVED

This document has been produced electronically from our quality system and is valid without signature.